

# CERTIFICATE

## of Conformity

### Low Voltage Directive (EU) 2014/35

**Registration No.:** AN 50664607 0001  
**Report No.:** CN23ASBT 011  
**Holder:** Hengdian Group DMEGC Magnetics  
Co., Ltd.  
Hengdian Industrial Zone  
Dongyang City  
Zhejiang  
P.R. China  
**Product:** PV Module

#### Type designation listed on the next page

This certificate of conformity is based on an evaluation of a sample of the above-mentioned product. Technical Report and documentation are at the License Holder's disposal. This is to certify that the tested sample is in conformity with Annex I of Council Directive (EU) 2014/35, referred to as the Low Voltage Directive. This certificate does not imply assessment of the series-production of the product and does not permit the use of a TÜV Rheinland mark of conformity. The holder of the certificate is authorized to use this certificate in connection with the EC declaration of conformity according to Annex IV of the Directive.

**Date:** 2025-02-14

#### Certification Body



Angela Yao



**TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg**

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

# CERTIFICATE

## of Conformity

### Low Voltage Directive (EU) 2014/35

**Registration No.:** AN 50664607 0001

**Product:** PV Module

**Identification:**

**Type Designation**

Max. system voltage: up to 1500 VDC (Voc at STC):

With 1/2 cut mono bifacial c-Si cells:

DMxxxM10T-B78HSW, DMxxxM10T-B78HST,  
DMxxxM10T-B78HBW, DMxxxM10T-B78HBT,  
DMxxxM10T-B78HBB, DMxxxM10T-B78HSW-P,  
DMxxxM10T-B78HST-P, DMxxxM10T-B78HBW-P,  
DMxxxM10T-B78HBT-P, DMxxxM10T-B78HBB-P,  
GHxxxM10T-B78HSW, GHxxxM10T-B78HST,  
GHxxxM10T-B78HBW, GHxxxM10T-B78HBT,  
GHxxxM10T-B78HBB, GHxxxM10T-B78HSW-C,  
GHxxxM10T-B78HST-C, DMxxxM10T-B78ZSW,  
DMxxxM10T-B78ZST, DMxxxM10T-B78ZBW,  
DMxxxM10T-B78ZBT, DMxxxM10T-B78ZBB,  
DMxxxM10T-B78ZSW-P, DMxxxM10T-B78ZST-P,  
DMxxxM10T-B78ZBW-P, DMxxxM10T-B78ZBT-P,  
DMxxxM10T-B78ZBB-P, GHxxxM10T-B78ZST,  
GHxxxM10T-B78ZBT, GHxxxM10T-B78ZSW-C,  
GHxxxM10T-B78ZST-C

(xxx=590-650, in steps of 5, 156 cells,  
Pmax@BNPI=652-716.5);

DMxxxM10T-B72HSW, DMxxxM10T-B72HST,  
DMxxxM10T-B72HBW, DMxxxM10T-B72HBT,  
DMxxxM10T-B72HBB, DMxxxM10T-B72HSW-P,  
DMxxxM10T-B72HST-P, DMxxxM10T-B72HBW-P,  
DMxxxM10T-B72HBT-P, DMxxxM10T-B72HBB-P,  
GHxxxM10T-B72HSW, GHxxxM10T-B72HST,  
GHxxxM10T-B72HBW, GHxxxM10T-B72HBT,  
GHxxxM10T-B72HBB, DMxxxM10T-B72ZSW,  
DMxxxM10T-B72ZST, DMxxxM10T-B72ZBW,  
DMxxxM10T-B72ZBT, DMxxxM10T-B72ZBB,  
DMxxxM10T-B72ZSW-P, DMxxxM10T-B72ZST-P,  
DMxxxM10T-B72ZBW-P, DMxxxM10T-B72ZBT-P,  
DMxxxM10T-B72ZBB-P, GHxxxM10T-B72ZST,  
GHxxxM10T-B72ZBT, GHxxxM10T-B72ZSW-C,  
GHxxxM10T-B72ZST-C

(xxx=535-600, in steps of 5, 144 cells,



**TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg**

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

# CERTIFICATE

## of Conformity

### Low Voltage Directive (EU) 2014/35

**Registration No.:** AN 50664607 0001

**Product:** PV Module

**Identification:**

**Type Designation**

Pmax@BNPI=591-663);  
DMxxxM10T-B66HSW, DMxxxM10T-B66HST,  
DMxxxM10T-B66HBW, DMxxxM10T-B66HBT,  
DMxxxM10T-B66HBB, DMxxxM10T-B66HSW-P,  
DMxxxM10T-B66HST-P, DMxxxM10T-B66HBW-P,  
DMxxxM10T-B66HBT-P, DMxxxM10T-B66HBB-P,  
GHxxxM10T-B66HSW, GHxxxM10T-B66HST,  
GHxxxM10T-B66HBW, GHxxxM10T-B66HBT,  
GHxxxM10T-B66HBB, GHxxxM10T-B66HSW-C,  
GHxxxM10T-B66HST-C, DMxxxM10T-B66ZSW,  
DMxxxM10T-B66ZST, DMxxxM10T-B66ZBW,  
DMxxxM10T-B66ZBT, DMxxxM10T-B66ZBB,  
DMxxxM10T-B66ZSW-P, DMxxxM10T-B66ZST-P,  
DMxxxM10T-B66ZBW-P, DMxxxM10T-B66ZBT-P,  
DMxxxM10T-B66ZBB-P, GHxxxM10T-B66ZST,  
GHxxxM10T-B66ZBT, GHxxxM10T-B66ZSW-C,  
GHxxxM10T-B66ZST-C  
(xxx=500-550, in steps of 5, 132 cells,  
Pmax@BNPI=553-608);  
DMxxxM10T-B60HSW, DMxxxM10T-B60HST,  
DMxxxM10T-B60HBW, DMxxxM10T-B60HBT,  
DMxxxM10T-B60HBB, DMxxxM10T-B60HSW-P,  
DMxxxM10T-B60HST-P, DMxxxM10T-B60HBW-P,  
DMxxxM10T-B60HBT-P, DMxxxM10T-B60HBB-P,  
GHxxxM10T-B60HSW, GHxxxM10T-B60HST,  
GHxxxM10T-B60HBW, GHxxxM10T-B60HBT,  
GHxxxM10T-B60HBB, DMxxxM10T-B60ZSW,  
DMxxxM10T-B60ZST, DMxxxM10T-B60ZBW,  
DMxxxM10T-B60ZBT, DMxxxM10T-B60ZBB,  
DMxxxM10T-B60ZSW-P, DMxxxM10T-B60ZST-P,  
DMxxxM10T-B60ZBW-P, DMxxxM10T-B60ZBT-P,  
DMxxxM10T-B60ZBB-P, GHxxxM10T-B60ZST,  
GHxxxM10T-B60ZBT, GHxxxM10T-B60ZSW-C,  
GHxxxM10T-B60ZST-C, DMxxxM10T-B60HSW-L,  
DMxxxM10T-B60HST-L, DMxxxM10T-B60HBW-L,  
DMxxxM10T-B60HBT-L, DMxxxM10T-B60HBB-L,  
DMxxxM10T-B60HSW-LP, DMxxxM10T-B60HST-LP,



**TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg**

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

# CERTIFICATE

## of Conformity

### Low Voltage Directive (EU) 2014/35

**Registration No.:** AN 50664607 0001

**Product:** PV Module

**Identification:**

**Type Designation**

DMxxxM10T-B60HBW-LP, DMxxxM10T-B60HBT-LP,  
DMxxxM10T-B60HBB-LP, GHxxxM10T-B60HSW-L,  
GHxxxM10T-B60HST-L, GHxxxM10T-B60HBW-L,  
GHxxxM10T-B60HBT-L, GHxxxM10T-B60HBB-L  
(xxx=450-500, in steps of 5, 120 cells,  
Pmax@BNPI=497-553);  
DMxxxM10T-B54HSW, DMxxxM10T-B54HST,  
DMxxxM10T-B54HBW, DMxxxM10T-B54HBT,  
DMxxxM10T-B54HBB, DMxxxM10T-B54HSW-L,  
DMxxxM10T-B54HST-L, DMxxxM10T-B54HBW-L,  
DMxxxM10T-B54HBT-L, DMxxxM10T-B54HBB-L,  
DMxxxM10T-B54HSW-P, DMxxxM10T-B54HST-P,  
DMxxxM10T-B54HBW-P, DMxxxM10T-B54HBT-P,  
DMxxxM10T-B54HBB-P, DMxxxM10T-B54HSW-LP,  
DMxxxM10T-B54HST-LP, DMxxxM10T-B54HBW-LP,  
DMxxxM10T-B54HBT-LP, DMxxxM10T-B54HBB-LP,  
GHxxxM10T-B54HSW, GHxxxM10T-B54HST,  
GHxxxM10T-B54HBW, GHxxxM10T-B54HBT,  
GHxxxM10T-B54HBB, GHxxxM10T-B54HSW-L,  
GHxxxM10T-B54HST-L, GHxxxM10T-B54HBW-L,  
GHxxxM10T-B54HBT-L, GHxxxM10T-B54HBB-L,  
PW54M10-BB xxx, DMxxxM10T-B54ZSW,  
DMxxxM10T-B54ZST, DMxxxM10T-B54ZBW,  
DMxxxM10T-B54ZBT, DMxxxM10T-B54ZBB,  
DMxxxM10T-B54ZSW-L, DMxxxM10T-B54ZST-L,  
DMxxxM10T-B54ZBW-L, DMxxxM10T-B54ZBT-L,  
DMxxxM10T-B54ZBB-L, DMxxxM10T-B54ZSW-P,  
DMxxxM10T-B54ZST-P, DMxxxM10T-B54ZBW-P,  
DMxxxM10T-B54ZBT-P, DMxxxM10T-B54ZBB-P,  
DMxxxM10T-B54ZSW-LP, DMxxxM10T-B54ZST-LP,  
DMxxxM10T-B54ZBW-LP, DMxxxM10T-B54ZBT-LP,  
DMxxxM10T-B54ZBB-LP, GHxxxM10T-B54ZST,  
GHxxxM10T-B54ZBT, GHxxxM10T-B54ZSW-C,  
GHxxxM10T-B54ZST-C  
(xxx=405-450, in steps of 5, 108 cells,  
Pmax@BNPI=448-497);  
GHxxxM10T-B48HST, GHxxxM10T-B48HSW-C,



**TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg**

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

# CERTIFICATE

## of Conformity

### Low Voltage Directive (EU) 2014/35

**Registration No.:** AN 50664607 0001

**Product:** PV Module

**Identification:**

**Type Designation**

GHxxxM10T-B48HST-C, GHxxxM10T-B48ZST,  
GHxxxM10T-B48ZST-L, GHxxxM10T-B48ZSW-C,  
GHxxxM10T-B48ZST-C, GHxxxM10T-B48ZSW-LC,  
GHxxxM10T-B48ZST-LC  
(xxx=360-400, in steps of 5, 96 cells,  
Pmax@BNPI=396-440);  
GHxxxM10T-B44HST, GHxxxM10T-B44HST-C,  
GHxxxM10T-B44ZST, GHxxxM10T-B44ZST-C  
(xxx=330-365, in steps of 5, 88 cells,  
Pmax@BNPI=363-402);  
GHxxxM10T-B40HST, GHxxxM10T-B40HST-C,  
GHxxxM10T-B40ZST, GHxxxM10T-B40ZST-C  
(xxx=300-330, in steps of 5, 80 cells,  
Pmax@BNPI=330-363);  
DMxxxM10T-B36HBT, GHxxxM10T-B36HBT,  
GHxxxM10T-B36HST, GHxxxM10T-B36HST-C,  
DMxxxM10T-B36ZSW, DMxxxM10T-B36ZBW,  
DMxxxM10T-B36ZBT, GHxxxM10T-B36ZST,  
GHxxxM10T-B36ZBT, GHxxxM10T-B36ZBB,  
GHxxxM10T-B36ZSW-C, GHxxxM10T-B36ZST-C,  
GHxxxM10T-B36ZSW-LC  
(xxx=270-300, in steps of 5, 72 cells,  
Pmax@BNPI=297-330);  
DMxxxM10T-B32HBT, GHxxxM10T-B32HSW,  
GHxxxM10T-B32HST, GHxxxM10T-B32HBW,  
GHxxxM10T-B32HBT, GHxxxM10T-B32HBB,  
GHxxxM10T-B32HST-C, DMxxxM10T-B32ZSW,  
DMxxxM10T-B32ZBW, DMxxxM10T-B32ZBT,  
GHxxxM10T-B32ZST, GHxxxM10T-B32ZBT,  
GHxxxM10T-B32ZBB, GHxxxM10T-B32ZSW-C,  
GHxxxM10T-B32ZST-C, GHxxxM10T-B32ZSW-LC  
(xxx=250-265, in steps of 5, 64 cells,  
Pmax@BNPI=275-292);  
DMxxxM10T-B30HBW  
(xxx=235-250, in steps of 5, 60 cells,  
Pmax@BNPI=244-260);  
DMxxxM10RT-B60HSW, DMxxxM10RT-B60HST,



**TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg**

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

# CERTIFICATE

## of Conformity

### Low Voltage Directive (EU) 2014/35

**Registration No.:** AN 50664607 0001

**Product:** PV Module

**Identification:**

**Type Designation**

DMxxxM10RT-B60HBW, DMxxxM10RT-B60HBT,  
DMxxxM10RT-B60HBB, DMxxxM10RT-B60HSW-P,  
DMxxxM10RT-B60HST-P, DMxxxM10RT-B60HBW-P,  
DMxxxM10RT-B60HBT-P, DMxxxM10RT-B60HBB-P,  
GHxxxM10RT-B60HSW, GHxxxM10RT-B60HST,  
GHxxxM10RT-B60HBW, GHxxxM10RT-B60HBT,  
GHxxxM10RT-B60HBB, DMxxxM10RT-B60ZSW,  
DMxxxM10RT-B60ZST, DMxxxM10RT-B60ZBW,  
DMxxxM10RT-B60ZBT, DMxxxM10RT-B60ZBB,  
DMxxxM10RT-B60ZSW-P, DMxxxM10RT-B60ZST-P,  
DMxxxM10RT-B60ZBW-P, DMxxxM10RT-B60ZBT-P,  
DMxxxM10RT-B60ZBB-P, GHxxxM10RT-B60ZST,  
GHxxxM10RT-B60ZBT, GHxxxM10RT-B60ZSW-C,  
GHxxxM10RT-B60ZST-C, DMxxxM10RT-B60HSW-L,  
DMxxxM10RT-B60HST-L, DMxxxM10RT-B60HBW-L,  
DMxxxM10RT-B60HBT-L, DMxxxM10RT-B60HBB-L,  
DMxxxM10RT-B60HSW-LP, DMxxxM10RT-B60HST-LP,  
DMxxxM10RT-B60HBW-LP, DMxxxM10RT-B60HBT-LP,  
DMxxxM10RT-B60HBB-LP, GHxxxM10RT-B60HSW-L,  
GHxxxM10RT-B60HST-L, GHxxxM10RT-B60HBW-L,  
GHxxxM10RT-B60HBT-L, GHxxxM10RT-B60HBB-L  
(xxx=475-515, in steps of 5, 120 cells,  
Pmax@BNPI=525-568);  
DMxxxM10RT-B54HSW, DMxxxM10RT-B54HST,  
DMxxxM10RT-B54HBW, DMxxxM10RT-B54HBT,  
DMxxxM10RT-B54HBB, DMxxxM10RT-B54HSW-L,  
DMxxxM10RT-B54HST-L, DMxxxM10RT-B54HBW-L,  
DMxxxM10RT-B54HBT-L, DMxxxM10RT-B54HBB-L,  
DMxxxM10RT-B54HSW-P, DMxxxM10RT-B54HST-P,  
DMxxxM10RT-B54HBW-P, DMxxxM10RT-B54HBT-P,  
DMxxxM10RT-B54HBB-P, DMxxxM10RT-B54HSW-LP,  
DMxxxM10RT-B54HST-LP, DMxxxM10RT-B54HBW-LP,  
DMxxxM10RT-B54HBT-LP, DMxxxM10RT-B54HBB-LP,  
GHxxxM10RT-B54HSW, GHxxxM10RT-B54HST,  
GHxxxM10RT-B54HBW, GHxxxM10RT-B54HBT,  
GHxxxM10RT-B54HBB, GHxxxM10RT-B54HSW-L,  
GHxxxM10RT-B54HST-L, GHxxxM10RT-B54HBW-L,



**TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg**

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

# CERTIFICATE

## of Conformity

### Low Voltage Directive (EU) 2014/35

**Registration No.:** AN 50664607 0001

**Product:** PV Module

**Identification:**

**Type Designation**

GHxxxM10RT-B54HBT-L, GHxxxM10RT-B54HBB-L,  
DMxxxM10RT-B54ZSW, DMxxxM10RT-B54ZST,  
DMxxxM10RT-B54ZBW, DMxxxM10RT-B54ZBT,  
DMxxxM10RT-B54ZBB, DMxxxM10RT-B54ZSW-L,  
DMxxxM10RT-B54ZST-L, DMxxxM10RT-B54ZBW-L,  
DMxxxM10RT-B54ZBT-L, DMxxxM10RT-B54ZBB-L,  
DMxxxM10RT-B54ZSW-P, DMxxxM10RT-B54ZST-P,  
DMxxxM10RT-B54ZBW-P, DMxxxM10RT-B54ZBT-P,  
DMxxxM10RT-B54ZBB-P, DMxxxM10RT-B54ZSW-LP,  
DMxxxM10RT-B54ZST-LP, DMxxxM10RT-B54ZBW-LP,  
DMxxxM10RT-B54ZBT-LP, DMxxxM10RT-B54ZBB-LP,  
GHxxxM10RT-B54ZST, GHxxxM10RT-B54ZBT,  
GHxxxM10RT-B54ZST-L, GHxxxM10RT-B54ZBT-L,  
GHxxxM10RT-B54ZSW-C, GHxxxM10RT-B54ZST-C,  
GHxxxM10RT-B54ZSW-LC, GHxxxM10RT-B54ZST-LC  
(xxx=425-460, in steps of 5, 108 cells,  
Pmax@BNPI=470-508);  
GHxxxM10RT-B48HSW-C, GHxxxM10RT-B48HST-C,  
GHxxxM10RT-B48ZST, GHxxxM10RT-B48ZSW-C,  
GHxxxM10RT-B48ZST-C, GHxxxM10RT-B48ZSW-LC  
(xxx=380-410, in steps of 5, 96 cells,  
Pmax@BNPI=418-451);  
GHxxxM10RT-B40HSW-C, GHxxxM10RT-B40HST-C  
(xxx=315-340, in steps of 5, 80 cells,  
Pmax@BNPI=347-374);  
DMxxxM10RT-B32HSW, DMxxxM10RT-B32HST,  
DMxxxM10RT-B32HBW, DMxxxM10RT-B32HBT,  
DMxxxM10RT-B32HBB, GHxxxM10RT-B32HSW,  
GHxxxM10RT-B32HST, GHxxxM10RT-B32HBW,  
GHxxxM10RT-B32HBT, GHxxxM10RT-B32HBB  
(xxx=255-270, in steps of 5, 64 cells,  
Pmax@BNPI=281-297);  
DMxxxM10RT-B30HBW  
(xxx=240-255, in steps of 5, 60 cells,  
Pmax@BNPI=250-265);  
DMxxxM10RT-B27HBW  
(xxx=225-231, in steps of 1, 54 cells,



**TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg**

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

# CERTIFICATE

## of Conformity

### Low Voltage Directive (EU) 2014/35

**Registration No.:** AN 50664607 0001

**Product:** PV Module

**Identification:**

**Type Designation**

P<sub>max</sub>@BNPI=246-253);  
DMxxxG12RT-B66HSW, DMxxxG12RT-B66HST,  
DMxxxG12RT-B66HBW, DMxxxG12RT-B66HBT,  
DMxxxG12RT-B66HBB, DMxxxG12RT-B66HSW-P,  
DMxxxG12RT-B66HST-P, DMxxxG12RT-B66HBW-P,  
DMxxxG12RT-B66HBT-P, DMxxxG12RT-B66HBB-P,  
GHxxxG12RT-B66HSW, GHxxxG12RT-B66HST,  
GHxxxG12RT-B66HBW, GHxxxG12RT-B66HBT,  
GHxxxG12RT-B66HBB  
(xxx=590-625, in steps of 5, 132 cells,  
P<sub>max</sub>@BNPI=649-691);  
DMxxxG12RT-B48HSW, DMxxxG12RT-B48HST,  
DMxxxG12RT-B48HBW, DMxxxG12RT-B48HBT,  
DMxxxG12RT-B48HBB, DMxxxG12RT-B48HSW-P,  
DMxxxG12RT-B48HST-P, DMxxxG12RT-B48HBW-P,  
DMxxxG12RT-B48HBT-P, DMxxxG12RT-B48HBB-P,  
GHxxxG12RT-B48HSW, GHxxxG12RT-B48HST,  
GHxxxG12RT-B48HBW, GHxxxG12RT-B48HBT,  
GHxxxG12RT-B48HBB  
(xxx=435-455, in steps of 5, 96 cells,  
P<sub>max</sub>@BNPI=481-503);  
DMxxxG12T-B66HSW, DMxxxG12T-B66HST,  
DMxxxG12T-B66HBW, DMxxxG12T-B66HBT,  
DMxxxG12T-B66HBB, GHxxxG12T-B66HSW,  
GHxxxG12T-B66HST, GHxxxG12T-B66HBW,  
GHxxxG12T-B66HBT, GHxxxG12T-B66HBB,  
DMxxxG12T-B66HSW-P, DMxxxG12T-B66HST-P,  
DMxxxG12T-B66HBW-P, DMxxxG12T-B66HBT-P,  
DMxxxG12T-B66HBB-P  
(xxx=675-720, in steps of 5, 132 cells,  
P<sub>max</sub>@BNPI=746-796);  
DMxxxM10RT-B78DSW, DMxxxM10RT-B78DST,  
DMxxxM10RT-B78DBW, DMxxxM10RT-B78DBT,  
DMxxxM10RT-B78DBB, DMxxxM10RT-B78DSW-P,  
DMxxxM10RT-B78DST-P, DMxxxM10RT-B78DBW-P,  
DMxxxM10RT-B78DBT-P, DMxxxM10RT-B78DBB-P  
(xxx=610-660, in steps of 5, 156 cells,



**TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg**

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

# CERTIFICATE

## of Conformity

### Low Voltage Directive (EU) 2014/35

**Registration No.:** AN 50664607 0001

**Product:** PV Module

**Identification:**

**Type Designation**

Pmax@BNPI=674-729);  
DMxxxM10RT-B72DSW, DMxxxM10RT-B72DST,  
DMxxxM10RT-B72DBW, DMxxxM10RT-B72DBT,  
DMxxxM10RT-B72DBB, DMxxxM10RT-B72DSW-P,  
DMxxxM10RT-B72DST-P, DMxxxM10RT-B72DBW-P,  
DMxxxM10RT-B72DBT-P, DMxxxM10RT-B72DBB-P  
(xxx=565-605, in steps of 5, 144 cells,  
Pmax@BNPI=624-669);  
DMxxxM10RT-B66DSW, DMxxxM10RT-B66DST,  
DMxxxM10RT-B66DBW, DMxxxM10RT-B66DBT,  
DMxxxM10RT-B66DBB, DMxxxM10RT-B66DSW-P,  
DMxxxM10RT-B66DST-P, DMxxxM10RT-B66DBW-P,  
DMxxxM10RT-B66DBT-P, DMxxxM10RT-B66DBB-P  
(xxx=520-555, in steps of 5, 132 cells,  
Pmax@BNPI=575-613);  
DMxxxM10RT-B60DSW, DMxxxM10RT-B60DST,  
DMxxxM10RT-B60DBW, DMxxxM10RT-B60DBT,  
DMxxxM10RT-B60DBB, DMxxxM10RT-B60DSW-P,  
DMxxxM10RT-B60DST-P, DMxxxM10RT-B60DBW-P,  
DMxxxM10RT-B60DBT-P, DMxxxM10RT-B60DBB-P  
(xxx=470-505, in steps of 5, 120 cells,  
Pmax@BNPI=519-558);  
DMxxxM10RT-B54DSW, DMxxxM10RT-B54DST,  
DMxxxM10RT-B54DBW, DMxxxM10RT-B54DBT,  
DMxxxM10RT-B54DBB, DMxxxM10RT-B54DSW-L,  
DMxxxM10RT-B54DST-L, DMxxxM10RT-B54DBW-L,  
DMxxxM10RT-B54DBT-L, DMxxxM10RT-B54DBB-L,  
DMxxxM10RT-B54DSW-P, DMxxxM10RT-B54DST-P,  
DMxxxM10RT-B54DBW-P, DMxxxM10RT-B54DBT-P,  
DMxxxM10RT-B54DBB-P, DMxxxM10RT-B54DSW-LP,  
DMxxxM10RT-B54DST-LP, DMxxxM10RT-B54DBW-LP,  
DMxxxM10RT-B54DBT-LP, DMxxxM10RT-B54DBB-LP  
(xxx=425-455, in steps of 5, 108 cells,  
Pmax@BNPI=470-503);  
DMxxxM10RT-B36DSW, DMxxxM10RT-B36DBW,  
DMxxxM10RT-B36DBT  
(xxx=285-300, in steps of 5, 72 cells,



**TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg**

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

# CERTIFICATE

## of Conformity

### Low Voltage Directive (EU) 2014/35

**Registration No.:** AN 50664607 0001

**Product:** PV Module

**Identification:**

**Type Designation**

Pmax@BNPI=315-332);  
DMxxxM10RT-B32DSW, DMxxxM10RT-B32DBW,  
DMxxxM10RT-B32DBT  
(xxx=255-270, in steps of 5, 64 cells,  
Pmax@BNPI=282-298);  
DMxxxM10T-G78HSW, DMxxxM10T-G78HBW,  
DMxxxM10T-G78HBB, DMxxxM10T-G78HSW-P,  
DMxxxM10T-G78HBW-P, DMxxxM10T-G78HBB-P  
(xxx=590-650, in steps of 5, 156 cells);  
DMxxxM10T-G72HSW, DMxxxM10T-G72HBW,  
DMxxxM10T-G72HBB, DMxxxM10T-G72HSW-P,  
DMxxxM10T-G72HBW-P, DMxxxM10T-G72HBB-P,  
GHxxxM10T-G72HSW, GHxxxM10T-G72HBW,  
GHxxxM10T-G72HBB  
(xxx=535-600, in steps of 5, 144 cells);  
DMxxxM10T-G66HSW, DMxxxM10T-G66HBW,  
DMxxxM10T-G66HBB, DMxxxM10T-G66HSW-P,  
DMxxxM10T-G66HBW-P, DMxxxM10T-G66HBB-P,  
GHxxxM10T-G66HSW, GHxxxM10T-G66HBW,  
GHxxxM10T-G66HBB  
(xxx=500-550, in steps of 5, 132 cells);  
DMxxxM10T-G60HSW, DMxxxM10T-G60HBW,  
DMxxxM10T-G60HBB, DMxxxM10T-G60HSW-P,  
DMxxxM10T-G60HBW-P, DMxxxM10T-G60HBB-P,  
GHxxxM10T-G60HSW, GHxxxM10T-G60HBW,  
GHxxxM10T-G60HBB  
(xxx=450-500, in steps of 5, 120 cells);  
DMxxxM10T-G54HSW, DMxxxM10T-G54HBW,  
DMxxxM10T-G54HBB, DMxxxM10T-G54HSW-L,  
DMxxxM10T-G54HBW-L, DMxxxM10T-G54HBB-L,  
DMxxxM10T-G54HSW-P, DMxxxM10T-G54HBW-P,  
DMxxxM10T-G54HBB-P, DMxxxM10T-G54HSW-LP,  
DMxxxM10T-G54HBW-LP, DMxxxM10T-G54HBB-LP,  
GHxxxM10T-G54HSW, GHxxxM10T-G54HBW,  
GHxxxM10T-G54HBB  
(xxx=405-450, in steps of 5, 108 cells);  
DMxxxM10T-G36HBB, GHxxxM10T-G36HBB,



**TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg**

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

# CERTIFICATE

## of Conformity

### Low Voltage Directive (EU) 2014/35


**Registration No.:** AN 50664607 0001

**Product:** PV Module

**Identification:**

**Type Designation**

DMxxxM10T-G36ZBB, GHxxxM10T-G36ZBB  
(xxx=270-300, in steps of 5, 72 cells);  
DMxxxM10T-G32HBB, GHxxxM10T-G32HSW,  
GHxxxM10T-G32HBW, GHxxxM10T-G32HBB,  
DMxxxM10T-G32ZBB, GHxxxM10T-G32ZBB  
(xxx=250-265, in steps of 5, 64 cells);  
DMxxxM10RT-G54HSW, DMxxxM10RT-G54HBW,  
DMxxxM10RT-G54HBB, DMxxxM10RT-G54HSW-L,  
DMxxxM10RT-G54HBW-L, DMxxxM10RT-G54HBB-L,  
DMxxxM10RT-G54HSW-P, DMxxxM10RT-G54HBW-P,  
DMxxxM10RT-G54HBB-P, DMxxxM10RT-G54HSW-LP,  
DMxxxM10RT-G54HBW-LP, DMxxxM10RT-G54HBB-LP,  
GHxxxM10RT-G54HSW, GHxxxM10RT-G54HBW,  
GHxxxM10RT-G54HBB  
(xxx=425-460, in steps of 5, 108 cells);  
DMxxxM10RT-G32HSW, DMxxxM10RT-G32HBW,  
DMxxxM10RT-G32HBB, GHxxxM10RT-G32HSW,  
GHxxxM10RT-G32HBW, GHxxxM10RT-G32HBB  
(xxx=255-270, in steps of 5, 64 cells);  
DMxxxM10RT-G27HBW  
(xxx=225-231, in steps of 1, 54 cells);  
DMxxxG12RT-G66HSW, DMxxxG12RT-G66HBW,  
DMxxxG12RT-G66HBB, DMxxxG12RT-G66HSW-P,  
DMxxxG12RT-G66HBW-P, DMxxxG12RT-G66HBB-P,  
GHxxxG12RT-G66HSW, GHxxxG12RT-G66HBW,  
GHxxxG12RT-G66HBB  
(xxx=590-625, in steps of 5, 132 cells);  
DMxxxM10RT-G36DBB  
(xxx=285-300, in steps of 5, 72 cells);  
DMxxxM10RT-G32DBB  
(xxx=255-270, in steps of 5, 64 cells).  
xxx represents output power at STC in Wp  
Remarks:  
Valid in conjunction with TÜV Rheinland certificate  
PV 50603275 0001-0003.



**TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg**

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.

# CERTIFICATE

of Conformity  
Low Voltage Directive (EU) 2014/35



© TÜV, TÜV and TÜV are registered trademarks. Utilisation and application requires prior approval.

**TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg**

The CE marking may be used if all relevant and effective EC Directives/Regulations are complied with.