



en

UK DECLARATION OF CONFORMITY

Manufacturer:
 Enphase Energy Inc.,
 47281 BAYSIDE PARKWAY,
 FREMONT, CA, 94538,
 United States of America

Importer:
 Enphase Energy NL B.V.
 Het Zuiderkruis 65 ,5215 MV,
 's-Hertogenbosch,
 The Netherlands

This declaration of conformity is issued under the sole responsibility of the manufacturer.

EVSE
 Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
 IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400,
 IQ-EVSE-UK-1032-0105-1300, IQ-EVSE-UK-1032-0105-1400, IQ-EVSE-UK-3032-0105-1300

HW: ≥ 0801
 SW: ≥ 24.41.1.1

The object of the declaration described above is in conformity with:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019 ¹	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	RoHS restricted substance	Concentration limit (ppm) ¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
	¹ Maximum limit does not apply to applications covered by RoHS exemptions	

22 July 2025

Signed for and on behalf of Enphase Energy Inc.

Signed by:

 Manuel Shimasaki
 Senior Director, www.compliance

¹ UK models listed above are equipped with protective earth switching in accordance with exception from BS 7671:2018 + A1:2020. UK models are not approved for EU installation and EU models are not approved for UK installation.



en

EU DECLARATION OF CONFORMITY

Manufacturer:
 Enphase Energy Inc.,
 47281 BAYSIDE PARKWAY,
 FREMONT, CA, 94538,
 United States of America

Importer:
 Enphase Energy NL B.V.
 Het Zuiderkruis 65 ,5215 MV,
 's-Hertogenbosch,
 The Netherlands

This declaration of conformity is issued under the sole responsibility of the manufacturer.

EVSE
 Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
 IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400
 HW: ≥ 0801
 SW: ≥ 24.41.1.1

The object of the declaration described above is in conformity with:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMi Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances						
	<table border="1"> <thead> <tr> <th>RoHS restricted substance</th> <th>Concentration limit (ppm)¹</th> </tr> </thead> <tbody> <tr> <td>Cd</td> <td>100</td> </tr> <tr> <td>Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP</td> <td>1000</td> </tr> </tbody> </table>	RoHS restricted substance	Concentration limit (ppm) ¹	Cd	100	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
RoHS restricted substance	Concentration limit (ppm) ¹						
Cd	100						
Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000						
	¹ Maximum limit does not apply to applications covered by RoHS exemptions						

22 July 2025

Signed for and on behalf of Enphase Energy Inc.

Signed by:

 Manuel Shimasaki
E25DF778033945D...
 Senior Director, VVW Compliance



de

EU-KONFORMITÄTSERKLÄRUNG

Hersteller:
Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Importeur:
Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

Die alleinige Verantwortung für die Ausstellung dieser Konformitätserklärung trägt der Hersteller.

EVSE

Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801

SW: ≥ 24.41.1.1

Das beschriebene Produkt und Gegenstand der Erklärung erfüllt:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	RoHS-beschränkter Stoff	Konzentrationsgrenze (ppm)¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
	¹ Die Höchstgrenze gilt nicht für Anwendungen, die von RoHS-Ausnahmen abgedeckt sind	

22 July 2025

Unterzeichnet für und im Namen von Enphase Energy Inc.

Signed by:
Manuel Shimasaki
E25DF778033945D...
Senior Director, VVV Compliance



nl

EU-CONFORMITEITSVERKLARING

Fabrikant:
 Enphase Energy Inc.,
 47281 BAYSIDE PARKWAY,
 FREMONT, CA, 94538,
 United States of America

Importeur:
 Enphase Energy NL B.V.
 Het Zuiderkruis 65 ,5215 MV,
 's-Hertogenbosch,
 The Netherlands

Deze conformiteitsverklaring wordt verstrekt onder volledige verantwoordelijkheid van de fabrikant.

EVSE
 Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
 IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801
 SW: ≥ 24.41.1.1

Het hierboven beschreven voorwerp voldoet aan:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMi Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	RoHS- beperkte stof	Maximumconcentraties (ppm) ¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
¹ De maximumlimiet is niet van toepassing op toepassingen die onder RoHS-vrijstellingen vallen		

22 July 2025

Ondertekend voor en namens Enphase Energy Inc.

Signed by:

 Manuel Shimasaki
 Senior Director, VVW Compliance



fr

DÉCLARATION UE DE CONFORMITÉ

Fabricant:
 Enphase Energy Inc.,
 47281 BAYSIDE PARKWAY,
 FREMONT, CA, 94538,
 United States of America

Importeur:
 Enphase Energy NL B.V.
 Het Zuiderkruis 65 ,5215 MV,
 's-Hertogenbosch,
 The Netherlands

La présente déclaration de conformité est établie sous la seule responsabilité du fabricant.

EVSE
 Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
 IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801
 SW: ≥ 24.41.1.1

L'objet de la déclaration décrit ci-dessus est conforme à:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS:2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	RoHS substance restreinte	Limite de concentration (ppm) ¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
¹ La limite maximale ne s'applique pas aux applications couvertes par les exemptions RoHS		

22 July 2025

Signé par et au nom de Enphase Energy Inc.

Signed by:

 Manuel Shimasaki
 Senior Director, VVW Compliance



pl

DEKLARACJA ZGODNOŚCI UE

Producent:
 Enphase Energy Inc.,
 47281 BAYSIDE PARKWAY,
 FREMONT, CA, 94538,
 United States of America

Importer:
 Enphase Energy NL B.V.
 Het Zuiderkruis 65 ,5215 MV,
 's-Hertogenbosch,
 The Netherlands

Niniejsza deklaracja zgodności wydana zostaje na wyłączną odpowiedzialność producenta.

EVSE
 Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
 IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801
 SW: ≥ 24.41.1.1

Wymieniony powyżej przedmiot niniejszej deklaracji jest zgodny z:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	Substancja ograniczona RoHS	Stężenie graniczne (ppm)¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
	¹ Maksymalny limit nie dotyczy aplikacji objętych zwolnieniami RoHS	

22 July 2025

Podpisano w imieniu Enphase Energy Inc.

Signed by:

 Manuel Shimasaki
 Senior Director, VVW Compliance



es

DECLARACIÓN UE DE CONFORMIDAD

Fabricante:

Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Importador:

Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

La presente declaración de conformidad se expide bajo la exclusiva responsabilidad del fabricante.

EVSE

Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801

SW: ≥ 24.41.1.1

El objeto de la declaración descrito anteriormente es conforme a:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	Sustancias restringidas RoHS	Límite de concentración (ppm)¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
	¹ El límite máximo no se aplica a las aplicaciones cubiertas por las exenciones de RoHS	

22 July 2025

Firmado por y en nombre de Enphase Energy Inc.

Signed by:

 Senior Director, VVW Compliance



pt

DECLARAÇÃO DE CONFORMIDADE UE

Fabricante:

Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Importador:

Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

A presente declaração de conformidade é emitida sob a exclusiva responsabilidade do fabricante.

EVSE

Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801

SW: ≥ 24.41.1.1

O objeto da declaração acima descrito está em conformidade com:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances						
	<table border="1"> <thead> <tr> <th>RoHS substância restrita</th> <th>Limite de concentração (ppm)¹</th> </tr> </thead> <tbody> <tr> <td>Cd</td> <td>100</td> </tr> <tr> <td>Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP</td> <td>1000</td> </tr> </tbody> </table>	RoHS substância restrita	Limite de concentração (ppm) ¹	Cd	100	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
RoHS substância restrita	Limite de concentração (ppm) ¹						
Cd	100						
Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000						
	¹ O limite máximo não se aplica a aplicativos cobertos por isenções RoHS						

22 July 2025

Assinado por e em nome de Enphase Energy Inc.

Signed by:

 E25DF778033945D...
 Senior Director, VVW Compliance



it

DICHIARAZIONE UE DI CONFORMITÀ

Fabbricante:

Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Importatore:

Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

La presente dichiarazione di conformità è rilasciata sotto la responsabilità esclusiva del fabbricante.

EVSE

Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801

SW: ≥ 24.41.1.1

L'oggetto della dichiarazione di cui sopra è conforme alla:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	Sostanza soggetta a restrizioni RoHS	Limite di concentrazioni (ppm)¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
	¹ Il limite massimo non si applica alle applicazioni coperte da esenzioni RoHS	

22 July 2025

Firmato in vece e per conto di Enphase Energy Inc.

Signed by:

Manuel Shimasaki

Senior Director, VVW Compliance



sv

EU-FÖRSÄKRAN OM ÖVERENSSTÄMMELSE

Tillverkare:

Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Importör:

Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

Denna försäkrans om överensstämmelse utfärdas på tillverkarens eget ansvar.

EVSE

Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801

SW: ≥ 24.41.1.1

Föremålet för försäkrans ovan överensstämmer med:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	RoHS-begränsat ämne	Maximikoncentrationer (ppm)¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
	¹ maximal gräns gäller inte för applikationer som omfattas av RoHS-undantag	

22 July 2025

Undertecknat för Enphase Energy Inc.

Signed by:

Senior Director, VVW Compliance



da

EU OVERENSSTEMMELSESERKLÆRING

Fabrikant:

Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Importør:

Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

Denne overensstemmelseserklæring udstedes på fabrikantens ansvar.

EVSE

Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801

SW: ≥ 24.41.1.1

Genstanden for erklæringen, som beskrevet ovenfor, er i overensstemmelse med:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances						
	<table border="1"> <thead> <tr> <th>RoHS- Begrænsninger Stoffer</th> <th>Maksimal koncentration værdier (ppm)¹</th> </tr> </thead> <tbody> <tr> <td>Cd</td> <td>100</td> </tr> <tr> <td>Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP</td> <td>1000</td> </tr> </tbody> </table>	RoHS- Begrænsninger Stoffer	Maksimal koncentration værdier (ppm) ¹	Cd	100	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
RoHS- Begrænsninger Stoffer	Maksimal koncentration værdier (ppm) ¹						
Cd	100						
Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000						
	¹ Maksimumsgrænsen gælder ikke for applikationer omfattet af RoHS-undtagelser.						

22 July 2025

Underskrevet for og på vegne af Enphase Energy Inc.

Signed by:

E25DF778033945D...
Senior Director, VVW Compliance

Ražotājs:

Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Importētājs:

Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

Šī atbilstības deklarācija ir izdota vienīgi uz šāda ražotāja atbildību:

EVSE

Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801

SW: ≥ 24.41.1.1

Iepriekš aprakstītais deklarācijas priekšmets ir saskaņā ar:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	


RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	RoHS ierobežota viela	Robežkoncentrācija (ppm)¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
	¹ Maksimālais ierobežojums neattiecas uz pieteikumiem kuri ir RoHS izņēmumi	

22 July 2025

Parakstīts Enphase Energy Inc.

Signed by:



Senior Director, VVW Compliance



et

ELI VASTAVUSDEKLARATSIOON

Tootja:

Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Importija:

Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

Käesolev vastavusdeklaratsioon on välja antud valmistaja ainuvastutusel:

EVSE

Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801

SW: ≥ 24.41.1.1

Eespool kirjeldatud deklareeritav ese on kooskõlas:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	RoHS keelatud ained	Kontsentratsiooni piirmäär (ppm)¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
	¹ Maksimaalne piirmäär ei kehti RoHSi erandi alla kuuluvate rakenduste suhtes	

22 July 2025

Kelle nimel ja poolt alla kirjutatud Enphase Energy Inc.

Signed by:

 Manuel Skimasaki
 E25DF778033945D...
 Senior Director, VVW Compliance



It

ES ATITIKTIES DEKLARACIJA

Gamintojas:

Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Importuotojas:

Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

Ši atitikties deklaracija išduota tik gamintojo atsakomybe.

EVSE

Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801

SW: ≥ 24.41.1.1

Pirmiau aprašytasis deklaracijos objektas atitinka:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	RoHS ribojamos medžiagos	Koncentracijos riba (ppm)¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
	¹ Didžiausia riba netaikoma medžiagoms, kurioms taikomos RoHS išimty	

22 July 2025

Už ką ir kieno vardu pasirašyta Enphase Energy Inc.

Signed by:

Manuel Skimasaki

E25DF778033945D...

Senior Director, VVW Compliance



ro

DECLARAȚIA DE CONFORMITATE UE

Producătorului:

Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Importator:

Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

Prezenta declarație de conformitate este emisă pe răspunderea exclusivă a producătorului.

EVSE

Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801

SW: ≥ 24.41.1.1

Obiectul declarației descris mai sus este conform:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	RoHS substanță restricționată	Limita de concentrare (ppm) ¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
	¹ Limita maximă nu se aplică aplicațiilor acoperite de scutiri RoHS	

22 July 2025

Semnat pentru și în numele Enphase Energy Inc.

Signed by:

E25DF778033945D

Senior Director, VVW Compliance

Производител:
Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Вносител:
Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

За настоящата декларация за съответствие отговорност носи единствено производителят :

EVSE
Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801
SW: ≥ 24.41.1.1

Обектът на декларацията, който е описан по-горе, е в съответствие с:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances						
	<table border="1"> <thead> <tr> <th>RoHS ограничените вещества</th> <th>Граница на концентрация (ppm)¹</th> </tr> </thead> <tbody> <tr> <td>Cd</td> <td>100</td> </tr> <tr> <td>Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP</td> <td>1000</td> </tr> </tbody> </table>	RoHS ограничените вещества	Граница на концентрация (ppm) ¹	Cd	100	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
RoHS ограничените вещества	Граница на концентрация (ppm) ¹						
Cd	100						
Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000						
	¹ Максималното ограничение не се прилага за приложения, обхванати от освобождаване от RoHS						

22 July 2025

Подпис за или от името на Enphase Energy Inc.

Signed by:

 E25DF778033945D...
 Senior Director, VVW Compliance



fi

EU-VAATIMUSTENMUKAISUUSVAKUUTUS

Valmistaja:

Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Maahantuojaja:

Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

Tämä vaatimustenmukaisuusvakuutus on annettu valmistajan yksinomaisella vastuulla:

EVSE

Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801

SW: ≥ 24.41.1.1

Edellä kuvattu ilmoitus on asiaa koskevan yhdenmukaistamislainsäädännön mukainen:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	RoHS rajoitettu aine	Pitoisuusraja (ppm) ¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
	¹ Enimmäisrajaa ei sovelleta RoHS-poikkeusten piiriin kuuluviin sovelluksiin.	

22 July 2025

Puolesta allekirjoittanut Enphase Energy Inc.

Signed by:

Senior Director, VVW Compliance

Proizvajalca:

Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Uvoznik:

Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

Ta izjava o skladnosti se izda na lastno odgovornost proizvajalca.

EVSE

Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801

SW: ≥ 24.41.1.1

Predmet navedene izjave je v skladu z:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	RoHS omejenih snovi	Meja koncentracije (ppm)¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
	¹ Največja omejitev ne velja za aplikacije, za katere veljajo izjeme RoHS	

22 July 2025

Podpisano za in v imenu Enphase Energy Inc.

Signed by:

 Manuel Skimasaki
 E25DF778033945D...
 Senior Director, VVW Compliance

Gyártó:

Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Importőr:

Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

E megfelelőségi nyilatkozat a gyártó kizárólagos felelősségére kerül kibocsátásra.**EVSE**

Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801

SW: ≥ 24.41.1.1

A fent ismertetett nyilatkozat tárgya megfelel a vonatkozó uniós harmonizációs jogszabálynak:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	


RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	RoHS korlátozás alá eső anyag	Koncentráció határérték (ppm)¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
	¹ A maximális határérték nem vonatkozik a RoHS-mentesség hatálya alá tartozó alkalmazásokra	

22 July 2025

Aláírta az Enphase Energy Inc. nevében

Signed by:



E25DF778033945D...
Senior Director, VVW Compliance

Výrobce:

Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Dovozce:

Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

Toto prohlášení o shodě vydal na vlastní odpovědnost výrobce.

EVSE

Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801

SW: ≥ 24.41.1.1

Výše popsaný předmět prohlášení je ve shodě se:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	RoHS omezených látek	Koncentrační limit (ppm)¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
	¹ Maximální limit se nevztahuje na aplikace, na které se vztahují výjimky z RoHS	

22 July 2025

Podepsáno za a jménem Enphase Energy Inc.

Signed by:

 Manuel Skimasaki
 E25DF778033945D...
 Senior Director, VVW Compliance



sk

VYHLÁSENIE O ZHODE EÚ

Výrobca:

Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Dovozca:

Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

Toto vyhlásenie o zhode sa vydáva na výhradnú zodpovednosť výrobcu.

EVSE

Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801

SW: ≥ 24.41.1.1

Vyššie opísaný predmet vyhlásenia je v zhode:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	RoHS obmedzovaných látok	Limit koncentrácie (ppm) ¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
	¹ Maximálny limit sa nevzťahuje na aplikácie, na ktoré sa vzťahujú výnimky zo smernice RoHS.	

22 July 2025

Podpísané za a v mene Enphase Energy Inc.

Signed by:

 Manuel Skimasaki
 E25DF778033945D...
 Senior Director, VVW Compliance



mt

DIKJARAZZJONI TAL-KONFORMITÀ TAL-UE

Manifattur:

Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Importatur:

Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

Din id-dikjarazzjoni tal-konformità tinhareg taht ir-responsabbiltà unika tal-manifattur.**EVSE**

Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801

SW: ≥ 24.41.1.1

L-ghan tad-dikjarazzjoni deskritta hawn fuq huwa konformi:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	RoHS sustanzi restritti	Limitu ta' konċentrazzjoni (ppm)¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
	¹ Il-limitu massimu ma japplikax għal applikazzjonijiet koperti minn eżenzjonijiet RoHS	

22 July 2025

Iffirmat għal u f'isem Enphase Energy Inc.

Signed by:

Senior Director, VVW Compliance

Proizvođača:

Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Uvoznik:

Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

Ova izjava sukladnosti izdaje se na isključivu odgovornost proizvođača.

EVSE

Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801

SW: ≥ 24.41.1.1

Gore opisan predmet izjave u skladu je:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	


RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	RoHS ograničenih tvari	Granica koncentracije (ppm)¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
	¹ Maksimalno ograničenje ne primjenjuje se na aplikacije obuhvaćene RoHS izuzećima	

22 July 2025

Potpisano za i u ime Enphase Energy Inc.

Signed by:



E25DF778033945D...

Senior Director, VVW Compliance

Κατασκευαστής:

Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Εισαγωγέας:

Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

Η παρούσα δήλωση συμμόρφωσης εκδίδεται με αποκλειστική ευθύνη του κατασκευαστή.

EVSE

Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801

SW: ≥ 24.41.1.1

Το αντικείμενο της δήλωσης που περιγράφεται ανωτέρω είναι σύμφωνο με:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	Ουσία που υπόκειται σε περιορισμούς RoHS	Όριο συγκέντρωσης (ppm)¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
	¹ Το μέγιστο όριο δεν ισχύει για εφαρμογές που καλύπτονται από εξαιρέσεις RoHS.	

22 July 2025

Υπογραφή για λογαριασμό και εξ ονόματος Enphase Energy Inc.

Signed by:

 Manuel Skimasaki
 E25DF778033945D...
 Senior Director, VVW Compliance



no

EU SAMSVARERKLÆRINGEN

Produsent:

Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Importør:

Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

Denne samsvarerklæringen utstedes under produsentens eneansvar.

EVSE

Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801

SW: ≥ 24.41.1.1

Formålet med erklæringen beskrevet ovenfor er i samsvar med:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances						
	<table border="1"> <thead> <tr> <th>RoHS-begrenset stoff</th> <th>Konsentrasjonsgrense (ppm)¹</th> </tr> </thead> <tbody> <tr> <td>Cd</td> <td>100</td> </tr> <tr> <td>Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP</td> <td>1000</td> </tr> </tbody> </table>	RoHS-begrenset stoff	Konsentrasjonsgrense (ppm) ¹	Cd	100	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
RoHS-begrenset stoff	Konsentrasjonsgrense (ppm) ¹						
Cd	100						
Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000						
	¹ Maksimumsgrensen gjelder ikke for bruksområder som er omfattet av RoHS-unntak.						

22 July 2025

Signert for og på vegne av Enphase Energy Inc.

Signed by:

 Manuel Skimasaki
 E25DF778033945D...
 Senior Director, VVW Compliance

Proizvođač:

Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Uvoznik:

Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

Ova deklaracija o usaglašenosti je izdata pod isključivom odgovornošću proizvođača.

EVSE

Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801

SW: ≥ 24.41.1.1

Predmet deklaracije gore opisan je u usaglašena sa:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	

RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	OHS ograničene supstance	Ograničenje koncentracije (ppm)¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
¹ Maksimalno ograničenje se ne odnosi na izuzetke pokrivenne OHS		

22 July 2025

Potpisano za i u ime Enphase Energy Inc.

Signed by:

 Manuel Skimasaki
 E25DF778033945D...
 Senior Director, VVW Compliance

Prodhuesi:

Enphase Energy Inc.,
47281 BAYSIDE PARKWAY,
FREMONT, CA, 94538,
United States of America

Importuesi:

Enphase Energy NL B.V.
Het Zuiderkruis 65 ,5215 MV,
's-Hertogenbosch,
The Netherlands

Kjo deklaratë e përpuethshmërisë është lëshuar nën përgjegjësinë e vetme të prodhuesit.

EVSE

Name: IQ-EVSE-EU-3032-0005-1300, IQ-EVSE-EU-3032-0005-1400,
IQ-EVSE-EU-3032-0105-1300, IQ-EVSE-EU-3032-0105-1400

HW: ≥ 0801

SW: ≥ 24.41.1.1

Objekti i deklaratës e përshkuar më sipër është në përputhje me:

RED: 2014/53/EU

Article 3.1(a)	LVD
EN IEC 61851-1:2019	Electric vehicle conductive charging system; Part 1: General requirements (IEC 61851-1:2017)
EN 50364:2018	Product standard for human exposure to electromagnetic fields from devices operating in the frequency range 0 Hz to 300 GHz, used in Electronic Article Surveillance (EAS), Radio Frequency Identification (RFID) and similar applications
EN IEC 62311:2020	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)
Article 3.1(b)	EMC
EN IEC 61851-21-2:2021	Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
EN 301 489-1 V2.2.3	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-3 V2.2.0	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-17 V3.2.4	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard for ElectroMagnetic Compatibility
EN 301 489-52 V1.2.1	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 52: Specific conditions for Cellular Communication User Equipment (UE) radio and ancillary equipment; Harmonised Standard for ElectroMagnetic Compatibility
Article 3.2	Radio
EN 300 328 V2.2.2	Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum
EN 300 330 V2.1.1	Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of Article 3(2) of Directive 2014/53/EU
EN 301 908-13 V13.2.1	IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 13: Evolved Universal Terrestrial Radio Access (E-UTRA) User Equipment (UE)
Article 3.3(d)	Security
EN 18031-1:2024	Common security requirements for radio equipment - Part 1: Internet connected radio equipment

MID: 2014/32/EU

EN 50470-1:2006	Electricity metering equipment (a.c.) - Part 1: General requirements, tests and test conditions - Metering equipment (class indexes A, B and C)
EN 50470-3:2006	Electricity metering equipment (a.c.) - Part 3: Particular requirements - Static meters for active energy (class indexes A, B and C)
The notified body NMI Certin B.V. NB0122 performed Module B and Module D to Directive 2014/32/EU (MID) and issued the EU-type examination certificates: Module B T12814 and Module D CE-438.	


RoHS: 2024/232 + 2015/863/EU + 2011/65/EU

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
	Substancë e kufizuar KiSR	Limiti i përqendrimit (ppm)¹
	Cd	100
	Pb, Hg, Cr+6, PBB, PBDE, DEHP, BBP, DBP, DIBP	1000
	¹ Limiti maksimal nuk zbatohet për aplikimet të mbuluara nga përjashtimet KiSR	

22 July 2025

Nënshkuar për dhe në emër të Enphase Energy Inc.

Signed by:



E25DF778033945D...
Senior Director, VVW Compliance