

EU-DECLARATION OF CONFORMITY

DÉCLARATION DE CONFORMITÉ UE

DECLARACIÓN DE CONFORMIDAD DE LA UE

DEKLARACJA ZGODNOŚCI UE

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Cette déclaration de conformité est publiée sous la seule responsabilité du fabricant.

Esta declaración de conformidad se emite bajo la exclusiva responsabilidad del fabricante.

Niniejsza deklaracja zgodności wydawana jest na wyłączną odpowiedzialność producenta.

The signatory, who represents the manufacturer / distributor: **Hanwha Q CELLS GmbH, Sonnenallee 17-21, 06766 Bitterfeld-Wolfen, Germany, hereby declares that the products: Crystalline silicon terrestrial photovoltaic modules types:**

Le signataire, qui représente le fabricant/distributeur: Hanwha Q CELLS GmbH, Sonnenallee 17-21, 06766 Bitterfeld-Wolfen, Allemagne, déclare par la présente que les produits: Types de modules photovoltaïques terrestres en silicium cristallin:

El firmante, en representación del fabricante / distribuidor: Hanwha Q CELLS GmbH, Sonnenallee 17-21, 06766 Bitterfeld-Wolfen, Alemania, declara por el presente documento que los productos: módulos fotovoltaicos terrestres cristalinos de silicón tipos:

Sygnatariusz reprezentujący producenta / dystrybutora: Hanwha Q CELLS GmbH, Sonnenallee 17-21, 06766 Bitterfeld-Wolfen, Niemcy, niniejszym deklaruje, że produkty: Naziemne moduły fotowoltaiczne z krzemu krystalicznego typy:

Power Class*	Module Type	
Classe de puissance	Type de module	
Clase de potencia	Tipo de módulo	
Klasa mocy	Typ modulu	
G1	385 – 415 Wp	Q.TRON ML-G1; Q.TRON ML-G1+; Q.TRON BLK ML-G1; Q.TRON BLK ML-G1+; B.LINE TRON ML-G1; B.LINE TRON BLK ML-G1
G4	140 – 175 Wp	Q.PEAK XS-G4.1; Q.PEAK XS-G4.4; Q.PEAK XS BLK-G4.1; Q.PEAK XS BLK-G4.4; B.LINE PEAK XS-G4.1; B.LINE PEAK XS-G4.4; B.LINE PEAK XS BLK-G4.1; B.LINE PEAK XS BLK-G4.4
	215 – 265 Wp	Q.PEAK S-G4.1; Q.PEAK S-G4.4; Q.PEAK S BLK-G4.1; Q.PEAK S BLK-G4.4; B.LINE PEAK S-G4.1; B.LINE PEAK S-G4.4; B.LINE PEAK S BLK-G4.1; B.LINE PEAK S BLK-G4.4
	270 – 335 Wp	Q.PLUS-G4.2; Q.PEAK-G4.2; Q-PEAK-G4.5; Q.PLUS-G4.1; Q.PLUS-G4.3; Q.PLUS BLK-G4.3; Q.PLUS BFR-G4.1; Q.PLUS BLK-G4.1; Q.PEAK-G4.1; Q.PEAK BLK-G4.1; Q.PEAK-G4.4; Q.PEAK BLK-G4.4; B.LINE PLUS-G4.2; B.LINE PEAK-G4.2; B.LINE PEAK-G4.5; B.LINE PLUS-G4.3; B.LINE PLUS BLK-G4.3; B.LINE PLUS BFR-G4.1; B.LINE PLUS BLK-G4.1; B.LINE PEAK-G4.1; B.LINE PEAK BLK-G4.1; B.LINE PEAK-G4.4; B.LINE PEAK BLK-G4.4
	325 – 405 Wp	Q.PLUS L-G4.2; Q.PEAK L-G4.2; Q.PEAK L-G4.5; Q.PLUS L-G4.1; Q.PEAK L-G4.1; Q.PEAK L-G4.4; B.LINE PLUS L-G4.2; B.LINE PEAK L-G4.2; B.LINE PEAK L-G4.5; B.LINE PLUS L-G4.1; B.LINE PEAK L-G4.1; B.LINE PEAK L-G4.4
G5	140 – 175 Wp	Q.PEAK XS-G5.1; Q.PEAK XS-G5.4; Q.PEAK XS BLK-G5.1; Q.PEAK XS BLK-G5.4; B.LINE PEAK XS-G5.1; B.LINE PEAK XS-G5.4; B.LINE PEAK XS BLK-G5.1; B.LINE PEAK XS BLK-G5.4
	215 – 265 Wp	Q.PEAK S-G5.1; Q.PEAK S-G5.4; Q.PEAK S BLK-G5.1; Q.PEAK S BLK-G5.4; B.LINE PEAK S-G5.1; B.LINE PEAK S-G5.4; B.LINE PEAK S BLK-G5.1; B.LINE PEAK S BLK-G5.4
	270 – 335 Wp	Q.PEAK-G5.1; Q.PEAK BLK-G5.1; Q.PLUS DUO-G5; Q.PLUS DUO BFR-G5; Q.PLUS DUO BLK-G5; Q.PLUS DUO-G5.1; Q.PLUS DUO BFR-G5.1; Q.PEAK DUO-G5; Q.PEAK DUO BLK-G5; Q.PEAK DUO-G5.1; Q.PEAK DUO BLK-G5.1; Q.PEAK DUO-G5+; Q.PEAK DUO-G5 / SC; Q.PEAK DUO-G5+ / SC; Q.PEAK DUO BLK-G5 / SC; Q.PEAK DUO-G5 / TS; Q.PEAK DUO-G5+ / TS; Q.PEAK DUO BLK-G5 / TS; Q.PLUS DUO-G5.2; Q.PEAK DUO-G5.2; Q.PEAK DUO-G5.3; B.LINE PLUS DUO-G5; B.LINE PLUS DUO BFR-G5; B.LINE PLUS DUO BLK-G5; B.LINE PLUS DUO-G5.1; B.LINE PLUS DUO BFR-G5.1; B.LINE PEAK DUO-G5; B.LINE PEAK DUO BLK-G5; B.LINE PEAK DUO-G5.1; B.LINE PEAK DUO BLK-G5.1
	333 Wp	Q.PEAK DUO-G5

EU-DECLARATION OF CONFORMITY

DÉCLARATION DE CONFORMITÉ UE

DECLARACIÓN DE CONFORMIDAD DE LA UE

DEKLARACJA ZGODNOŚCI UE

Power Class*		Module Type
Classe de puissance		Type de module
Clase de potencia		Tipo de módulo
Klasa mocy		Typ modułu
G5	325 – 405 Wp	Q.PEAK L-G5.2; Q.PEAK L-G5.1; Q.PLUS DUO L-G5.2; Q.PLUS DUO L-G5.3; Q.PLUS DUO RSF L-G5.2; Q.PLUS DUO RSF L-G5.3; Q.PEAK DUO L-G5.2; Q.PEAK DUO L-G5.3; Q.PLUS DUO L-G5; Q.PLUS DUO L-G5.1; Q.PLUS DUO RSF L-G5; Q.PEAK DUO L-G5; Q.PEAK DUO L-G5.1; B.LINE PLUS DUO L-G5.2; B.LINE PLUS DUO RSF L-G5.2; B.LINE PLUS DUO RSF L-G5.3; B.LINE PEAK DUO L-G5.2; B.LINE PEAK DUO L-G5.3; B.LINE PLUS DUO L-G5; B.LINE PLUS DUO RSF L-G5; B.LINE PEAK DUO L-G5; B.LINE PEAK DUO L-G5.1
	180 – 190 Wp	Q.PEAK DUO XS-G6
	270 – 285 Wp	Q.PEAK DUO S-G6
G6	270 – 360 Wp	Q.PEAK DUO-G6.2; Q.PEAK DUO-G6.3; Q.PEAK DUO-G6; Q.PEAK DUO-G6.1; Q.PEAK DUO BLK-G6; Q.PEAK DUO BLK-G6.1; Q.PEAK DUO-G6+; Q.PEAK DUO BLK-G6+; Q.PEAK DUO-G6 / SC; Q.PEAK DUO-G6+ / SC; Q.PEAK DUO BLK-G6 / SC; Q.PEAK DUO BLK-G6+ / SC; Q.PEAK DUO-G6 / TS; Q.PEAK DUO-G6+ / TS; Q.PEAK DUO BLK-G6 / TS; Q.PEAK DUO BLK-G6+ / TS; Q.PEAK DUO-G6.5; Q.PEAK DUO-G6.7; Q.PEAK DUO-G6.4; Q.PEAK DUO-G6.6; Q.PEAK DUO BLK-G6+ / HL; B.LINE PEAK DUO-G6.2; B.LINE PEAK DUO-G6.3; B.LINE PEAK DUO-G6; B.LINE PEAK DUO-G6.1; B.LINE PEAK DUO BLK-G6; B.LINE PEAK DUO BLK-G6.1; B.LINE PEAK DUO-G6+; B.LINE PEAK DUO BLK-G6+; B.LINE PEAK DUO-G6.5; B.LINE PEAK DUO-G6.7; B.LINE PEAK DUO-G6.4; B.LINE PEAK DUO-G6.6
	325 – 435 Wp	Q.PEAK DUO L-G6.2; Q.PEAK DUO L-G6.2+; Q.PEAK DUO L-G6.3; Q.PEAK DUO L-G6.6; Q.PEAK DUO L-G6.7; Q.PEAK DUO L-G6; Q.PEAK DUO L-G6.1; Q.PEAK DUO L-G6.4; Q.PEAK DUO L-G6.5; Q.PEAK DUO L-G6 KRY**;
	380 – 425 Wp	B.LINE PEAK DUO L-G6.2; B.LINE PEAK DUO L-G6.3; B.LINE PEAK DUO L-G6; B.LINE PEAK DUO L-G6.1; B.LINE PEAK DUO L-G6.6; B.LINE PEAK DUO L-G6.7; B.LINE PEAK DUO L-G6.4; B.LINE PEAK DUO L-G6.5
	380 – 425 Wp	Q.PEAK DUO L-G6.3 / BFG; Q.PEAK DUO L-G6.3 / BGT
G7	270 – 335 Wp	Q.PEAK DUO-G7; Q.PEAK DUO BLK-G7; Q.PEAK DUO-G7.1; Q.PEAK DUO BLK-G7.1; Q.PEAK DUO-G7.4; Q.PEAK DUO-G7.2; Q.PEAK DUO-G7.3; Q.PEAK DUO-G7.5; B.LINE PEAK DUO-G7; B.LINE PEAK DUO BLK-G7; B.LINE PEAK DUO-G7.1; B.LINE PEAK DUO BLK-G7.1; B.LINE PEAK DUO-G7.4; B.LINE PEAK DUO-G7.2; B.LINE PEAK DUO-G7.3; B.LINE PEAK DUO-G7.5
	325 – 405 Wp	Q.PEAK DUO L-G7.2; Q.PEAK DUO L-G7.3; Q.PEAK DUO RSF L-G7.3; Q.PEAK DUO L-G7.6; Q.PEAK DUO L-G7.7; Q.PLUS DUO L-G7; Q.PLUS DUO RSF L-G7; Q.PEAK DUO L-G7; Q.PEAK DUO L-G7.1; Q.PEAK DUO L-G7.4; Q.PEAK DUO L-G7.5; B.LINE PEAK DUO L-G7.2; B.LINE PEAK DUO L-G7.3; B.LINE PEAK DUO RSF L-G7.3; B.LINE PEAK DUO L-G7.6; B.LINE PEAK DUO L-G7.7; B.LINE PLUS DUO L-G7; B.LINE PLUS DUO RSF L-G7; B.LINE PEAK DUO L-G7; B.LINE PEAK DUO L-G7.1; B.LINE PEAK DUO L-G7.4; B.LINE PEAK DUO L-G7.5
	270 – 360 Wp	Q.PEAK DUO-G8; Q.PEAK DUO BLK-G8; Q.PEAK DUO-G8+; Q.PEAK DUO BLK-G8+; Q.PEAK DUO-G8.2; Q.PEAK DUO-G8.3; Q.PEAK DUO-G8.7; Q.PEAK DUO-G8.4; B.LINE PEAK DUO-G8.2; B.LINE PEAK DUO-G8.3; B.LINE PEAK DUO-G8; B.LINE PEAK DUO BLK-G8; B.LINE PEAK DUO-G8+; B.LINE PEAK DUO BLK-G8+; B.LINE PEAK DUO-G8.7; B.LINE PEAK DUO-G8.4
G8	380 – 425 Wp	Q.PEAK DUO L-G8.3 / BFG; Q.PEAK DUO L-G8.3 / BGT; Q.PEAK DUO L-G8.3 / BFF
	325 – 435 Wp	Q.PEAK DUO L-G8; Q.PEAK DUO L-G8.1; Q.PEAK DUO L-G8.2; Q.PEAK DUO L-G8.3; Q.PEAK DUO RSF L-G8.3; Q.PEAK DUO L-G8.3+; Q.PEAK DUO L-G8.7; B.LINE PEAK DUO L-G8.2; B.LINE PEAK DUO L-G8.3; B.LINE PEAK DUO L-G8; B.LINE PEAK DUO L-G8.1; B.LINE PEAK DUO RSF L-G8.3; B.LINE PEAK DUO L-G8.7

EU-DECLARATION OF CONFORMITY

DÉCLARATION DE CONFORMITÉ UE

DECLARACIÓN DE CONFORMIDAD DE LA UE

DEKLARACJA ZGODNOŚCI UE

Power Class* Classe de puissance Clase de potencia Klasa mocy	Module Type Type de module Tipo de módulo Typ modulu
G9	220 – 235 Wp Q.PEAK DUO MS-G9; Q.PEAK DUO MS-G9+
	330 – 360 Wp Q.PEAK DUO-G9; Q.PEAK DUO-G9.4; Q.PEAK DUO-G9+; Q.PEAK DUO BLK-G9, Q.PEAK DUO BLK-G9+; B.LINE PEAK DUO-G9; B.LINE PEAK DUO-G9.4; B.LINE PEAK DUO BLK-G9
	370 – 395 Wp Q.PEAK DUO ML-G9; Q.PEAK DUO ML-G9+; Q.PEAK DUO BLK ML-G9; Q.PEAK DUO BLK ML-G9+; Q.PEAK DUO ML-G9.4; B.LINE PEAK DUO ML-G9; B.LINE PEAK DUO BLK ML-G9; B.LINE PEAK DUO ML-G9.4
	415 – 470 Wp Q.PEAK DUO XL-G9; Q.PEAK DUO XL-G9.2; Q.PEAK DUO XL-G9.3; Q.PEAK DUO XL-G9.3 KRy**; Q.PEAK DUO XL-G9.7; B.LINE PEAK DUO XL-G9; B.LINE PEAK DUO XL-G9.2; B.LINE PEAK DUO XL-G9.3; B.LINE PEAK DUO XL-G9.7
	445 – 465 Wp Q.PEAK DUO XL-G9.3 / BFG; Q.PEAK DUO XL-G9.3 / BGT
G10	340 – 415 Wp Q.PEAK DUO-G10; Q.PEAK DUO-G10+; Q.PEAK DUO BLK-G10; Q.PEAK DUO BLK-G10+; Q.PEAK DUO-G10.a; Q.PEAK DUO-G10.a+; Q.PEAK DUO BLK-G10.a; Q.PEAK DUO BLK-G10.a+; Q.PEAK DUO-G10.4; Q.PEAK DUO BLK-G10.4; B.LINE PEAK DUO-G10; B.LINE PEAK DUO-G10.a; B.LINE PEAK DUO BLK-G10; B.LINE PEAK DUO BLK-G10.a; B.LINE PEAK DUO-G10.4; B.LINE PEAK DUO BLK-G10.4
	385 – 415 Wp Q.PEAK DUO ML-G10; Q.PEAK DUO ML-G10+; Q.PEAK DUO ML-G10.a; Q.PEAK DUO ML-G10.a+; Q.PEAK DUO BLK ML-G10; Q.PEAK DUO BLK ML-G10.a+ / TS; Q.PEAK DUO BLK ML-G10+; Q.PEAK DUO BLK ML-G10.a; Q.PEAK DUO BLK ML-G10.a+; Q.PEAK DUO ML-G10.2; Q.PEAK DUO ML-G10.4; B.LINE PEAK DUO ML-G10; B.LINE PEAK DUO ML-G10.a; B.LINE PEAK DUO BLK ML-G10; B.LINE PEAK DUO ML-G10.a; B.LINE PEAK DUO ML-G10.2; B.LINE PEAK DUO ML-G10.4
	470 – 490 Wp Q.PEAK DUO XL-G10.2; Q.PEAK DUO XL-G10.3; Q.PEAK DUO XL-G10.c; Q.PEAK DUO XL-G10.d; Q.PEAK DUO XL-G10.3 / BFG; Q.PEAK DUO XL-G10.d / BFG; Q.PEAK DUO XL-G10.3 KRy**; Q.PEAK DUO XL-G10.d KRy**; Q.PEAK DUO XL-G10.h; Q.PEAK DUO XL-G10.4; Q.PEAK DUO XL-G10.7; B.LINE PEAK DUO XL-G10.2; B.LINE PEAK DUO XL-G10.3; B.LINE PEAK DUO XL-G10.c; B.LINE PEAK DUO XL-G10.d; B.LINE PEAK DUO XL-G10.3 / BFG; B.LINE PEAK DUO XL-G10.d / BFG; B.LINE PEAK DUO XL-G10.h; B.LINE PEAK DUO XL-G10.4; B.LINE PEAK DUO XL-G10.7
G11	550 – 590 Wp Q.PEAK DUO XL-G11.2; Q.PEAK DUO XL-G11.3; Q.PEAK DUO XL-G11.6; Q.PEAK DUO XL-G11.7; B.LINE PEAK DUO XL-G11.2; B.LINE PEAK DUO XL-G11.3; B.LINE PEAK DUO XL-G11.6; B.LINE PEAK DUO XL-G11.7
	555 – 580 Wp Q.PEAK DUO XL-G11.3 / BFG; B.LINE PEAK DUO XL-G11.3 / BFG

* The power can be any number between. / La puissance peut être n'importe quel nombre compris entre. / La potencia puede ser cualquier número intermedio. / Moc może być dowolną liczbą pomiędzy.

** General: Designation y (material combination) can be any number between 1-9. / Généralités: La désignation y (combinaison de matériau) peut être n'importe quel nombre compris entre 1 et 9. / General: la designación y (combinación de materiales) puede ser cualquier número entre 1 y 9. / Ogólne: Oznaczenie y (kombinacja materiałów) może być dowolną liczbą z zakresu 1-9.

EU-DECLARATION OF CONFORMITY

DÉCLARATION DE CONFORMITÉ UE

DECLARACIÓN DE CONFORMIDAD DE LA UE

DEKLARACJA ZGODNOŚCI UE

Brand: **Q CELLS**

Marque
Marca
Marka

including all relevant modifications, complies with the legal requirements:

y compris toutes les modifications pertinentes, est conforme aux exigences légales:

así como todas las modificaciones pertinentes, cumplen con los requisitos legales:

łącznie z wszelkimi istotnymi modyfikacjami, spełnia wymagania prawne:

EUROPEAN DIRECTIVE 2006 / 95 / EC until 2016-04-19, 2014 / 35 / EU from 2016-04-20

“on the harmonisation of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits”

DIRECTIVE EUROPÉENNE 2006 / 95 / CE jusqu'au 19 / 04 / 2016, 2014 / 35 depuis le 20 / 04 / 2016.

« sur l'harmonisation des lois des États membres relatives à la mise à disposition sur le marché du matériel électrique conçu pour être utilisé sous certaines limites de tension »

DIRECTIVA EUROPEA 2006 / 95 / CE hasta el 19 / 04 / 2016 y 2014 / 35 / UE a partir del 20 / 04 / 2016

«sobre la armonización de las legislaciones de los Estados miembros en materia de comercialización de material eléctrico destinado a utilizarse con determinados límites de tensión»

DYREKTYWA EUROPEJSKA 2006 / 95 / WE do 19.04.2016, 2014 / 35 / UE od 20.04.2016

„dotycząca harmonizacji praw Państw Członkowskich dotyczących wprowadzania na rynek sprzętu elektronicznego zaprojektowanego do pracy w określonym zakresie napięcia”

and the following relevant guidelines, provisions and technical standards with which the products complies:

et les directives, dispositions et normes techniques pertinentes auxquelles les produits sont conformes:

las siguientes directrices, disposiciones y normas técnicas pertinentes que cumplen los productos:

i poniższe istotne wytyczne, postanowienia i normy techniczne, którym produkt odpowiada:

IEC 61215-1:2016

IEC 61215-1-1:2016

IEC 61215-2:2016

IEC 61730-1:2016

IEC 61730-2:2016

Places of Manufacture / List of Factories according to TÜV Rheinland IEC Certificate no. PV 60149904 Annex:

Lieux de fabrication / Liste des usines selon TÜV Rheinland Certificat CEI n° 60149904 Annexe:

Lugares de fabricación / Lista de fábricas de acuerdo con el anexo del certificado n.º PV 60149904 de la IEC de TÜV Rheinland:

Zakłady produkcyjne / Lista fabryk zgodnie z TÜV Rheinland IEC Nr certyfikatu PV 60149904 Załącznik:

1. Hanwha Q CELLS (Qidong) Co., Ltd.

No. 888 Linyang Road
226200 QIDONG CITY
Jiangsu
CHINA / CHINY

2. Hanwha Solution Corporation

1329 Daegeum-ro, Geumwang-eup
27632 EUMSEONG-GUN
Chungcheongbuk-do
SOUTH KOREA / COREA DEL SUR / KOREA POŁUDNIOWA

3. Hanwha Solution Corporation

202 Sansusandan2-ro, Iwol-myun
27816 JINCHEON-GUN
Chungcheongbuk-do
SOUTH KOREA / COREA DEL SUR / KOREA POŁUDNIOWA



EU-DECLARATION OF CONFORMITY

DÉCLARATION DE CONFORMITÉ UE

DECLARACIÓN DE CONFORMIDAD DE LA UE

DEKLARACJA ZGODNOŚCI UE

- Hanwha Q CELLS USA Corp.
300 Nexus Drive
Dalton GA 30721
USA / EE. UU.
- Hanwha Q CELLS Malaysia Sdn. Bhd.
Lot 1, Jalan CV 2,
Selangor Cyber Valley
63300 CYBERJAYA
Selangor
MALAYSIA / MALASIA / MALEZJA

Last two digits of the year in which the CE marking was affixed: 22

CE MARK DATE: 2022-01-18

Deux derniers chiffres de l'année d'apposition du marquage CE: 22

DATE DE MARQUE CE: 18/01/2022

Últimas dos cifras del año en el que se colocó el marcado CE: 22

FECHA DE MARCADO CE: 18/01/2022

Ostatnie dwie cyfry roku, w którym zamieszczono oznaczenie CE: 22

DATA ZNAKU CE: 18.01.2022

Name and scope of responsibility of the person, who is authorized, to sign the declaration of conformity:

Nom et étendue de la responsabilité de la personne autorisée à signer la déclaration de conformité:

Nombre y ámbito de responsabilidad de la persona autorizada a firmar la declaración de conformidad:

Nazwisko i stanowisko osoby uprawnionej do podpisania deklaracji zgodności:

Jeong, Ji Weon

Name, first name

Nom, prénom

Apellidos, nombre

Nazwisko, imię

Executive Vice President

Scope of responsibility

Étendue de la responsabilité

Ámbito de responsabilidad

Stanowisko

Thalheim,

18/01/2022

Place, date

Lieu, date

Lugar, fecha

Miejsce, data

Ji Weon Jeong

Ji Weon Jeong (Jan 18, 2022 14:27 GMT+1)

Legally binding signature

Signature juridiquement contraignante

Firma jurídicamente vinculante

Prawnie wiążący podpis

Daniel JW Jeong, Ph.D.

**General Manager Hanwha Q CELLS GmbH
and CTO Hanwha Q CELLS Co. LiD.**