



Product Service

Attestation of Conformity

No. N8A 076043 0135 Rev. 00

Holder of Attestation: **Hengdian Group DMEGC Magnetics CO., LTD**
Hengdian Industrial Zone
322118 Dongyang, Zhejiang
PEOPLE'S REPUBLIC OF CHINA

Product: **Crystalline Silicon Terrestrial Photovoltaic (PV) Modules**
Mono-Crystalline Silicon Photovoltaic Module

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 704062425019-00

Date, 2024-11-14

(Zhulin Zhang)

Page 1 of 5

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. N8A 076043 0135 Rev. 00

Model(s):

DMxxxM10T-B78HBB, xxx = 590 to 650 in steps of 5;
 DMxxxM10T-B78HBB-P, xxx = 590 to 650 in steps of 5;
 DMxxxM10T-B78HSW, xxx = 590 to 650 in steps of 5;
 DMxxxM10T-B78HSW-P, xxx = 590 to 650 in steps of 5;
 DMxxxM10T-B78HST, xxx = 590 to 650 in steps of 5;
 DMxxxM10T-B78HST-P, xxx = 590 to 650 in steps of 5;
 DMxxxM10T-B78HBW, xxx = 590 to 650 in steps of 5;
 DMxxxM10T-B78HBW-P, xxx = 590 to 650 in steps of 5;
 DMxxxM10T-B78HBT, xxx = 590 to 650 in steps of 5;
 DMxxxM10T-B78HBT-P, xxx = 590 to 650 in steps of 5;
 DMxxxM10T-B72HBB, xxx = 535 to 600 in steps of 5;
 DMxxxM10T-B72HBB-P, xxx = 535 to 600 in steps of 5;
 DMxxxM10T-B72HSW, xxx = 535 to 600 in steps of 5;
 DMxxxM10T-B72HSW-P, xxx = 535 to 600 in steps of 5;
 DMxxxM10T-B72HST, xxx = 535 to 600 in steps of 5;
 DMxxxM10T-B72HST-P, xxx = 535 to 600 in steps of 5;
 DMxxxM10T-B72HBW, xxx = 535 to 600 in steps of 5;
 DMxxxM10T-B72HBW-P, xxx = 535 to 600 in steps of 5;
 DMxxxM10T-B72HBT, xxx = 535 to 600 in steps of 5;
 DMxxxM10T-B72HBT-P, xxx = 535 to 600 in steps of 5;
 DMxxxM10T-B66HBB, xxx = 500 to 550 in steps of 5;
 DMxxxM10T-B66HBB-P, xxx = 500 to 550 in steps of 5;
 DMxxxM10T-B66HSW, xxx = 500 to 550 in steps of 5;
 DMxxxM10T-B66HSW-P, xxx = 500 to 550 in steps of 5;
 DMxxxM10T-B66HST, xxx = 500 to 550 in steps of 5;
 DMxxxM10T-B66HST-P, xxx = 500 to 550 in steps of 5;
 DMxxxM10T-B66HBW, xxx = 500 to 550 in steps of 5;
 DMxxxM10T-B66HBW-P, xxx = 500 to 550 in steps of 5;
 DMxxxM10T-B66HBT, xxx = 500 to 550 in steps of 5;
 DMxxxM10T-B66HBT-P, xxx = 500 to 550 in steps of 5;
 DMxxxM10T-B60HBB, xxx = 450 to 500 in steps of 5;
 DMxxxM10T-B60HBB-P, xxx = 450 to 500 in steps of 5;
 DMxxxM10T-B60HSW, xxx = 450 to 500 in steps of 5;
 DMxxxM10T-B60HSW-P, xxx = 450 to 500 in steps of 5;
 DMxxxM10T-B60HST, xxx = 450 to 500 in steps of 5;
 DMxxxM10T-B60HST-P, xxx = 450 to 500 in steps of 5;
 DMxxxM10T-B60HBW, xxx = 450 to 500 in steps of 5;
 DMxxxM10T-B60HBW-P, xxx = 450 to 500 in steps of 5;
 DMxxxM10T-B60HBT, xxx = 450 to 500 in steps of 5;
 DMxxxM10T-B60HBT-P, xxx = 450 to 500 in steps of 5;
 DMxxxM10T-B54HBB, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-B54HBB-P, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-B54HSW, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-B54HSW-P, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-B54HST, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-B54HST-P, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-B54HBW, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-B54HBW-P, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-B54HBT, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-B54HBT-P, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-B54HBB-L, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-B54HBB-LP, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-B54HSW-L, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-B54HSW-LP, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-B54HST-L, xxx = 405 to 450 in steps of 5;

Page 2 of 5

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. N8A 076043 0135 Rev. 00

DMxxxM10T-B54HST-LP, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-B54HBW-L, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-B54HBW-LP, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-B54HBT-L, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-B54HBT-LP, xxx = 405 to 450 in steps of 5;
 DMxxxM10RT-B60HBB, xxx = 475 to 515 in steps of 5;
 DMxxxM10RT-B60HBB-P, xxx = 475 to 515 in steps of 5;
 DMxxxM10RT-B60HSW, xxx = 475 to 515 in steps of 5;
 DMxxxM10RT-B60HSW-P, xxx = 475 to 515 in steps of 5;
 DMxxxM10RT-B60HST, xxx = 475 to 515 in steps of 5;
 DMxxxM10RT-B60HST-P, xxx = 475 to 515 in steps of 5;
 DMxxxM10RT-B60HBW, xxx = 475 to 515 in steps of 5;
 DMxxxM10RT-B60HBW-P, xxx = 475 to 515 in steps of 5;
 DMxxxM10RT-B60HBT, xxx = 475 to 515 in steps of 5;
 DMxxxM10RT-B60HBT-P, xxx = 475 to 515 in steps of 5;
 DMxxxM10RT-B54HBB, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-B54HBB-P, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-B54HSW, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-B54HSW-P, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-B54HST, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-B54HST-P, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-B54HBW, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-B54HBW-P, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-B54HBT, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-B54HBT-P, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-B54HBB-L, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-B54HBB-LP, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-B54HSW-L, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-B54HSW-LP, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-B54HST-L, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-B54HST-LP, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-B54HBW-L, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-B54HBW-LP, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-B54HBT-L, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-B54HBT-LP, xxx = 425 to 460 in steps of 5;
 DMxxxG12RT-B66HBB, xxx = 590 to 625 in steps of 5;
 DMxxxG12RT-B66HBB-P, xxx = 590 to 625 in steps of 5;
 DMxxxG12RT-B66HSW, xxx = 590 to 625 in steps of 5;
 DMxxxG12RT-B66HSW-P, xxx = 590 to 625 in steps of 5;
 DMxxxG12RT-B66HST, xxx = 590 to 625 in steps of 5;
 DMxxxG12RT-B66HST-P, xxx = 590 to 625 in steps of 5;
 DMxxxG12RT-B66HBW, xxx = 590 to 625 in steps of 5;
 DMxxxG12RT-B66HBW-P, xxx = 590 to 625 in steps of 5;
 DMxxxG12RT-B66HBT, xxx = 590 to 625 in steps of 5;
 DMxxxG12RT-B66HBT-P, xxx = 590 to 625 in steps of 5;
 DMxxxG12T-B66HBB, xxx = 675 to 700 in steps of 5;
 DMxxxG12T-B66HBB-P, xxx = 675 to 700 in steps of 5;
 DMxxxG12T-B66HSW, xxx = 675 to 700 in steps of 5;
 DMxxxG12T-B66HSW-P, xxx = 675 to 700 in steps of 5;
 DMxxxG12T-B66HST, xxx = 675 to 700 in steps of 5;
 DMxxxG12T-B66HST-P, xxx = 675 to 700 in steps of 5;
 DMxxxG12T-B66HBW, xxx = 675 to 700 in steps of 5;
 DMxxxG12T-B66HBW-P, xxx = 675 to 700 in steps of 5;
 DMxxxG12T-B66HBT, xxx = 675 to 700 in steps of 5;
 DMxxxG12T-B66HBT-P, xxx = 675 to 700 in steps of 5;

Page 3 of 5

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Attestation of Conformity

No. N8A 076043 0135 Rev. 00

DMxxxM10T-G78HBB, xxx = 590 to 650 in steps of 5;
 DMxxxM10T-G78HBB-P, xxx = 590 to 650 in steps of 5;
 DMxxxM10T-G78HSW, xxx = 590 to 650 in steps of 5;
 DMxxxM10T-G78HSW-P, xxx = 590 to 650 in steps of 5;
 DMxxxM10T-G78HBW, xxx = 590 to 650 in steps of 5;
 DMxxxM10T-G78HBW-P, xxx = 590 to 650 in steps of 5;
 DMxxxM10T-G72HBB, xxx = 535 to 600 in steps of 5;
 DMxxxM10T-G72HBB-P, xxx = 535 to 600 in steps of 5;
 DMxxxM10T-G72HSW, xxx = 535 to 600 in steps of 5;
 DMxxxM10T-G72HSW-P, xxx = 535 to 600 in steps of 5;
 DMxxxM10T-G72HBW, xxx = 535 to 600 in steps of 5;
 DMxxxM10T-G72HBW-P, xxx = 535 to 600 in steps of 5;
 DMxxxM10T-G66HBB, xxx = 500 to 550 in steps of 5;
 DMxxxM10T-G66HBB-P, xxx = 500 to 550 in steps of 5;
 DMxxxM10T-G66HSW, xxx = 500 to 550 in steps of 5;
 DMxxxM10T-G66HSW-P, xxx = 500 to 550 in steps of 5;
 DMxxxM10T-G66HBW, xxx = 500 to 550 in steps of 5;
 DMxxxM10T-G66HBW-P, xxx = 500 to 550 in steps of 5;
 DMxxxM10T-G60HBB, xxx = 450 to 500 in steps of 5;
 DMxxxM10T-G60HBB-P, xxx = 450 to 500 in steps of 5;
 DMxxxM10T-G60HSW, xxx = 450 to 500 in steps of 5;
 DMxxxM10T-G60HSW-P, xxx = 450 to 500 in steps of 5;
 DMxxxM10T-G60HBW, xxx = 450 to 500 in steps of 5;
 DMxxxM10T-G60HBW-P, xxx = 450 to 500 in steps of 5;
 DMxxxM10T-G54HBB, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-G54HBB-P, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-G54HSW, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-G54HSW-P, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-G54HBW, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-G54HBW-P, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-G54HBB-L, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-G54HBB-LP, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-G54HSW-L, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-G54HSW-LP, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-G54HBW-L, xxx = 405 to 450 in steps of 5;
 DMxxxM10T-G54HBW-LP, xxx = 405 to 450 in steps of 5;
 DMxxxM10RT-G54HBB, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-G54HBB-P, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-G54HSW, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-G54HSW-P, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-G54HBW, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-G54HBW-P, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-G54HBB-L, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-G54HBB-LP, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-G54HSW-L, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-G54HSW-LP, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-G54HBW-L, xxx = 425 to 460 in steps of 5;
 DMxxxM10RT-G54HBW-LP, xxx = 425 to 460 in steps of 5;
 DMxxxG12RT-G66HBB, xxx = 590 to 625 in steps of 5;
 DMxxxG12RT-G66HBB-P, xxx = 590 to 625 in steps of 5;
 DMxxxG12RT-G66HSW, xxx = 590 to 625 in steps of 5;
 DMxxxG12RT-G66HSW-P, xxx = 590 to 625 in steps of 5;
 DMxxxG12RT-G66HBW, xxx = 590 to 625 in steps of 5;
 DMxxxG12RT-G66HBW-P, xxx = 590 to 625 in steps of 5;
 xxx is standing for rated output power at STC

Page 4 of 5

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 076043 0135 Rev. 00

Parameters:

Construction:	Framed, with Junction box, Cable and Connectors.
Safety Class:	Class II
Maximum System Voltage:	1500 V DC
Fire Safety Class:	Class C or Class A according to UL 790

Tested according to:

EN IEC 61730-1:2018
EN IEC 61730-1:2018/AC:2018-06
EN IEC 61730-2:2018
EN IEC 61730-2:2018/AC:2018-06

Page 5 of 5

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.